




Lindab **Formo**

Installation instruction
Installations vejledning
Montageinstruktion
ja säätöhjeet
Montageanleitung
Istruzioni di montaggio
Instructions de montage

Formo

Contents	Maintenance / Vedligeholdelse / Underhåll / Huolto / Wartung /	
Indhold	Manutenzione / Обозначения / Entretien	2
Innehållsförteckning	Symbols / Symboler / Symbolit / Symbole / Simboli / Обозначения / Symboles	2
Sisällysluettelo	PKA	3
Inhalt	PCA	4
Sommario	LKA	5
Содержание	LCA	6
Sommaire	CRL	7
	Accessories - Order code / Tilbehør - Bestillings kode / Tillbehör - Beställningskod /	
	Lisävarusteet - Tilaukoodi / Zubehör - Bestellcode / accessori - Ordinazione /	
	Аксессуары - Код Заказа / Accessoires - codification	8
	DKZ / DDZ / DCZ	9
	DAZ	12
	DRZ /CAZ	
	Damper / Spjæld / Spjäll / Sätöpeltil / Drossel / Serranda / Регулятор / Registre	13
	MB	
	Plenum box / Trykfordelingsboks / Tryckfördelningslåda / Liitäntälaatikko	
	Anschlusskasten / Plenum / Расширительные камеры / Plénum	14
	LM	
	Module plates / modulplader / Modulramar / Beställningskod / Moduulilevy / Modulplatten /	
	Piastra modulare per controsoffiti / Zubehör / Module plates / Plaque d'habillage	18

Maintenance	UK	- The diffuser can be demounted and vacuum cleaned by using a smooth nozzle brush or wiped off by using a sponge or wiped off with a clean damp sponge or soft cotton cloth.
Vedligeholdelse	DK	- Diffusoren kan demonteres og støvsuges med et blødt børstestykke eller aftørres med en fugtig klud.
Underhåll	SE	- Donet kan demonteras och dammsugas med ett mjukt borstmunstycke eller torkas av med en fuktig trasa.
Huolto	FI	- Laite voidaan puhdistaa imurilla käyttäen pehmeää harjaosaa tai se voidaan pyyhkiä kostutetulla kangasliinalla.
Wartung	DE	- Der Durchlass kann zur Reinigung demontiert werden. Die Reinigung erfolgt entweder mit einem Staubsauger mit einer weichen Düsenbürste oder mit einem weichen Baumwolltuch, das in klares Wasser getaucht und gut ausgewrungen wurde.
Manutenzione	IT	- Il diffusore può essere pulito con una spazzola morbida oppure con una spugna o un panno di cotone leggermente umidi.
Обслуживание	RU	- Диффузор можно очищать, используя гладкую щетку, вытирать губкой или влажной сильно отжатой хлопчатобумажной тканью.
Entretien	FR	- Le diffuseur peut être démonté et nettoyé avec une brosse d'aspirateur, une éponge propre ou un chiffon humide doux en coton.


Symbols		Supply air		Exhaust air		1, 2, 3 - way
Symboler		Tilluft		fraluft		1, 2, 3 - vejs
Symboler		Tilluft		Frånluft		1, 2, 3 - vägs
Symbolit		Tuloilma		Poistoilma		1, 2, 3 - suuntaa
Symbole		Zuluft		Abluft		1, 2, 3 - seitig
Simboli		Aria di mandata		Aria di estrazione		1, 2, 3 - vie
Обозначения		Приточная вентиляция		Вытяжная вентиляция		1, 2, 3 - сторонний
Symboles		Soufflage		Extraction		1, 2, 3 - directions

Formo


PKA

Measure / weight
 Mål / vægt
 Mått / vikt
 Mitta / paino
 Abmessungen / Gewicht
 Misura / peso
 Размер / вес
 Dimensions / poids

Ød mm	A mm	U mm	kg
125	235	200	1,10
160	295	260	1,80
200	395	360	2,80
250	495	460	4,20
315	595	560	5,70
400	595	560	5,70

**PKA**

No tools
 Ingen værktøj
 Inga verktyg
 Ei työkaluja
 Keine Werkzeuge
 Nessun attrezzo
 Без инструмента
 Sans outil



Order code
 Ordre kode
 Beställningskod
 Tuotekoodi
 Bestellcode
 Codice d'ordine
 Код Заказа
 Codification

PKA**Ød**

Formo

PCA

Measure / weight

Mål / vægt

Mått / vikt

Mitta / paino



Abmessungen / Gewicht

Misura / peso


Размер / вес

Dimensions / poids

Ød mm	ØD mm	ØU mm	kg
100	240	200	1,00
125	240	200	1,00
160	300	260	1,50
200	360	320	2,30
250	460	420	3,40
315	540	500	4,60
400	540	500	4,60

**PCA**

No tools
Ingen værktøj
Inga verktyg
Ei työkaluja
Keine Werkzeuge
Nessun attrezzo
Без инструмента
Sans outil



Order code

Ordre kode

Beställningskod

Tuotekoodi

Bestellcode

Codice d'ordine

Код Заказа

Codification

PCA

Ød

Formo

LKA

Measure / weight

Mål / vægt

Mått / vikt

Mitta / paino


Abmessungen / Gewicht

Misura / peso


Размер / вес

Dimensions / poids


LKA



Ød mm	A mm	U mm	kg
125	235	200	1,10
160	295	260	1,80
200	395	360	2,80
250	495	460	4,20
315	595	560	5,70
400	595	560	5,70



No tools
Ingen værktøj
Inga verktyg
Ei työkaluja
Keine Werkzeuge
Nessun attrezzo
Без инструмента
Sans outil



Order code

Ordre kode

Beställningskod

Tuotekoodi

Bestellcode

Codice d'ordine

Код Заказа

Codification

LKA

Ød

Formo

LCA

Measure / weight

Mål / vægt

Mått / vikt

Mitta / paino


Abmessungen / Gewicht

Misure / peso


Размер / вес

Dimensions / poids


Ød mm	ØD mm	ØU mm	kg
100	240	200	1,00
125	240	200	1,00
160	300	260	1,50
200	360	320	2,30
250	460	420	3,40
315	540	500	4,60
400	540	500	4,60



LCA



No tools
Ingen værktøj
Inga verktyg
Ei työkaluja
Keine Werkzeuge
Nessun attrezzo
Без инструмента
Sans outil



Order code

Ordre kode

Beställningskod

Tuotekoodi

Bestellcode

Codice d'ordine

Код Заказа


Codification

LCA


Ød

Formo


CRL

Measure / weight**Mål / vægt****Mått / vikt****Mitta / paino****Abmessungen / Gewicht****Misure / peso****Размер / вес****Dimensions / poids****CRL**

Ød mm	ØA mm	B mm	C mm	ØE mm	ØU mm	kg
100	188	15	60	146	170	0,30
125	238	20	65	180	210	0,50
160	288	25	65	220	255	0,60
200	388	28	72	300	355	1,10
250	488	33	82	380	390	1,60
315	588	33	97	490	465	2,50
400	720	40	100	590	670	3,80




Vertical supply air
Vertikal tilluft
Vertikal inblåsning
Pystysuora puhalluskuvio
Vertikale Luftführung
Mandata verticale
Вертикальная подача воздуха
Soufflage vertical



No tools
Ingen værktøj
Inga verktyg
Ei työkaluja
Keine Werkzeuge
Nessun attrezzo
Без инструмента
Sans outil

Horizontal supply air
Horisontal tilluft
Horisontell inblåsning
Vaakasuora puhalluskuvio
Horizontale Luftführung
Mandata orizzontale
Горизонтальная подача воздуха
Soufflage horizontal

**Order code****Ordre kode****Beställningskod****Tuotekoodi****Bestellcode****Codice d'ordine****Код Заказа****Codification****CRL****Ød**

Formo

Overview

Oversigt

Överikt

Yleiskatsaus


Übersicht

Panoramica


Обзор

Aperçu

Accessories / Order code
Tilbehør / Bestillings kode
Tillbehör / Beställningskod
Lisävarusteet / Tilauskoodi
Zubehör / Bestellbeispiel
Accessori / Ordinazione
Аксессуары / Код Заказа
Accessoires / codification





DKZ/DDZ/DCZ



DKZ (PKA, LKA)
DDZ (PCA, LCA)
DCZ (CRL)



DAZ



DRZ / CAZ


Damper - Spjæld - Spjäll - Säätöpelti -
 Drossel - Serranda - Регулятор - Registre




DRZ (PKA, PCA, LKA, LCA)




CAZ (CRL)



MB





PKA, LKA,
 PCA, LCA, CRL



LM

PKA, LKA, PCA, LCA



Formo

DKZ/DDZ/DCZ

Accessories

Tilbehør

Tillbehör

Lisävarusteet

Zubehör

Accessori

Аксессуары

Accessoires

Accessories

Tilbehør

Tillbehör

Lisävarusteet



Zubehör

Accessori


Аксессуары

Accessoires


DKZ/DDZ/DCZ



DKZ/DDZ/DCZ



DKZ (PKA, LKA)
DDZ (PCA, LCA)
DCZ (CRL)




Set / Sæt / Sats / Setti / Set / Set / Set (RUS) / Kit

DKZ (PKA / LKA)	=	x 4
DCZ (CRL)	=	x 3
DDZ (PCA / LCA) Ød =125	=	x 2
Ød >125	=	x 4




PKA, LKA




PCA, LCA




CRL



A



B



FORMO

DKZ/DDZ/DCZ

Accessories

Tilbehør

Tillbehör

Lisävarusteet

Zubehör



Accessori

Аксессуары

Accessoires

Ceiling grid opening
Udsparing
Håltagning
Rakenneaukko
Aussparung erstellen
Dimensione del foro
Отверстие в потолке
Ouverture dans le plafond


DKZ/DDZ/DCZ



ØU / UxU Ceiling grid opening
 ØU / UxU Loft udkæring
 ØU / UxU Håltagning
 ØU / UxU Asennusaukko
 ØU / UxU Aussparung erstellen
 ØU / UxU Dimensione del foro
 ØU / UxU Отверстие в потолке
 ØU / UxU Ouverture dans le plafond



PKA, LKA



PKA, LKA

PCA, LCA, CRL

FORMO

DKZ/DDZ/DCZ

Accessories

Tilbehør

Tillbehör

Lisävarusteet

Zubehör


Accessori

Аксессуары





Accessoires

Mount diffuser with mounting brackets
 Monter armatur med monteringsbøjler
 Montera don med monteringsklammer
 Hajottajan asennus kannakkeiden avulla
 Montieren Sie der Durchlass mit Montagebügeln
 Installazione del diffusore con staffe di montaggio
 Mount diffuser with mounting brackets -RUS
 Installation du diffuseur avec pattes de montage

DKZ/DDZ/DCZ



Set / Sæt / Sats / Saja / Set / Set / Set / Kit			
DKZ (PKA / LKA)	=		x 4
DCZ (CRL)	=		x 3
DDZ (PCA / LCA)	Ød = 125		x 2
	Ød > 125		x 4



Formo

DAZ

Accessories

Tilbehør

Tillbehör

Lisävarusteet

Zubehör

Accessori

Аксессуары

Accessoires

Accessories

Tilbehør

Tillbehör


Lisävarusteet

Zubehör

Accessori

Аксессуары







Accessoires


DAZ
DAZ


PKA, LKA, PCA, LCA

DAZ
aaa
x 3
Ød

Set / Sæt / Sats / Setti
Set /Set (ITA) / Set (RUS) / Kit

PKA, LKA

PCA, LCA

!

UK - DAZ is not used with CRL
DK - DAZ anvendes ikke til CRL
SE - DAZ används inte för CRL
FI - Lisävarustetta DAZ ei käytetä CRL:n kanssa.
DE - DAZ wird nicht mit CRL verwendet!
ITA - DAZ non usato per CRL
RUS - DAZ is not used with CRL
FR - DAZ n'est pas compatible avec CRL

Formo

DRZ/CAZ

Accessories

Tilbehør

Tillbehör





Lisävarusteet

Zubehör

Accessori

Аксессуары



Accessoires

Accessories - Damper**Tilbehør - Spjæld****Tillbehör - Spjäll****Lisävarusteet - Säätöpelti****Zubehör - Drossel****Accessori - Serranda****Аксессуары - Регулятор****Accessoires - Registre****DRZ / CAZ****DRZ / CAZ**Damper - Spjæld - Spjäll - Säätöpelti -
Drossel - Serranda - Регулятор - Registre**DRZ** (PKA, PCA, LKA, LCA)**CAZ** (CRL)**A****B**

Without deflector plate
Uden prelplade
Utan avskärningsplåt
Ilman suoja levyä
Ohne Prallplatte - DE
Senza piastra deflettrice
Without deflectorplate -RUS
Sans plaque déflectrice

A

Demount nut - if deflector plate is included
Demonter møtrik - hvis prelplade er inkluderet
Demontera mutter - om avskärningsplåt är inkluderad
Irrota mutteri, jos suoja levy on mukana
Prallplatte über Mutter lösen und Drossel aufschrauben - DE
Dado di smontaggio - con piastra deflettrice inclusa
Demount nut - if deflector plate is included -RUS
Démonter l'écrou - si la plaque déflectrice est incluse



Formo

MB

Accessories MB

Tilbehør MB

Tillbehör MB

Lisävarusteet MB

Zubehör MB

Accessori MB

Аксессуары MB

Accessoires MB

Dimensions MB

Dimensioner MB


Dimensioner MB

Mitat MB

Dimensionen MB

Dimensioni MB

Dimensions MB



Ød ₁ mm	Ød ₂	B	C	D	e mm	H	L	W	m kg
100	100	62	245	78	40	163	310	260	2,6
100	125	62	245	78	40	163	310	260	2,6
100	160	62	245	78	40	163	310	260	2,6
125	125 *	75	291	78	40	188	376	310	3,7
125	160	75	291	78	40	188	376	310	3,7
125	200	75	291	78	40	188	376	310	3,7
160	160 *	92	352	78	40	222	459	380	5,5
160	200	92	352	78	40	222	459	380	5,5
160	250	92	352	78	40	222	459	380	5,5
200	200 *	112	425	78	40	263	565	460	7,3
200	250	112	425	78	40	263	565	460	7,3
200	315	112	425	78	40	263	565	460	7,3
250	250 *	137	514	118	60	313	698	540	10,6
250	315	137	514	118	60	313	698	540	10,6
250	400	137	514	118	60	313	698	540	10,6
315	315 *	170	675	118	60	378	858	540	13,5
315	400	170	675	118	60	378	858	540	13,5

*) Ød₁ = Ød₂ Not available in Sweden, except 315-315 (with some diffusers).

*) Ød₁ = Ød₂ Ej tillgänglig i Sverige, undantaget 315-315 (med vissa don).
 !  PC6, PC7, RC14, RC15, NC19, LCC, LCP, LKP
 PS1-V, PS8-V RS14-V, RS15-V, RS16-V, GS23-V

Damper options

Spjæld varianter

Spjällalternativ



Säätöveltivaihtoehdot

Drosselvarianten


Serranda disponibili

Type de registres



MBB-S




MBB-E



MBC



MBE



Formo

MB

Accessories MB

Tilbehør MB

Tillbehör MB

Lisävarusteet MB



Zubehör MB

Accessori MB



Аксессуары MB

Accessoires MB

- Mounting of MB** - MHS
Ophængning af MB - MHS
Upphängning av MB - MHS
Kannakointi MB - MHS
Montage des MB - MHS
Montaggio di MB - MHS
Монтаж MB - MHS
Montage de MB - MHS





- Threaded bar**
Gevindstang
Gängstång
Kierretanko
Gewindestange
Barre filettate
Крепежная шпилька
Tiges filetées



M8




- Directly against ceiling**
Direkte mod loft
Dikt mot tak
Suoraan kattopintaan
Direkt an die Decke
Direttamente a soffitto
к потолку
Directement contre le plafond



Mounting of MB, details go to - Mounting -and balancing instruction
 Ophængning af MB, detaljer se - Montage -og indregulerings vejledning
 Upphängning av MB, detaljer gå till - Montage och injusteringsinstruktion
 Kannakointi MB, lisätietoja oppaasta - Asennus- ja säätöohjeet
 Montage des MB, details go to - Montage und Einregulierungsanweisung
 Montaggio di MB, per dettagli vedere - Istruzioni di montaggio e bilanciamento
 Монтаж MB, details go to - Инструкция по монтажу и балансировке
 Montage de MB, détails voir - Instructions de montage et réglage

MB



Formo

MB

Accessories MB

Tilbehør MB

Tillbehör MB

Lisävarusteet MB

Zubehör MB

Accessori MB

Аксессуары MB

Accessoires

Mounting of diffuser in MB

Montering af armatur i MB


Montering av don i MB

Hajottajan asennus liitäntälaatikkoon MB

Durchlassmontage im MB

Montaggio del diffusore in MB


Montage du diffuseur dans MB



Formo

MB/MBZ




Accessories MBZ Tilbehør MBZ Tillbehör MBZ Lisävarusteet MBZ Zubehör MB/MBZ Accessori MBZ Аксессуары MBZ Accessoires MBZ

MBZ - Optional accessories**MBZ - Ekstra tilbehør****MBZ - Tillbehör som tillval****MBZ - Lisävarusteet tilauksesta****MBZ - Verlängerungsstutzen****MBZ - Accessori su richiesta****MBZ - Дополнительные аксессуары****MBZ - Accessoires optionnels****MBZ**

Extension piece
Forlængerstykke
Förlängningsstos
Jatkokappale
Verlängerungsstutzen
Manicotto maschio femmina di prolungamento
Удлинитель
Rallonge

Using CRL + MB	=> Always use MBZ !
Anvendelse af CRL + MB	=> Brug altid MBZ !
Användning av CRL + MB	=> Använd alltid MBZ !
Käytettäessä CRL+MB	=> Käytä aina MBZ-liitosaa!
CRL + MB	=> immer MBZ verwenden !
Per CRL + MB	=> Usare sempre MBZ!>
Using CRL + MB	=> Always use MBZ ! - RUS
Utiliser CRL + MB	=> Toujours utiliser MBZ

This will ensure full motion of faceplate
Dette vil sikre fuld bevægelse af bundpladen
Detta kommer att säkerställa full rörlighet av bottenplattan
Tämä takaa etulevyn täyden liikkuvuuden.
Dies garantiert die Verstellbarkeit der Frontplatte! - DE
Questo assicura la completa mobilità della piastra frontale
This will ensure full motion of faceplate - RUS
Ceci permettra l'utilisation optimale du cône réglable



Formo

LM

Accessories LM

Tilbehør LM

Tillbehör LM





Lisävarusteet LM

Zubehör LM

Accessori LM

Аксессуары LM

Accessoires LM



Mounting of diffuser on the LM module plate
Montering af armatur på LM modulplade
Montering av don på LM modulram
Hajottajan asennus LM-moduulilevyyn
Montage des Durchlasses an der Modulplatte LM
Montaggio del diffusore su cornice LM
Mounting of diffuser on LM module plate -RUS
Montage du diffuseur sur la plaque d'habillage LM
LM


!

UK - LM module plates adapted to ceiling system 1 - 21
DK - LM modulplader tilpasset loftsystem 1 - 21
SE - LM modulramar anpassat till undertakssystem 1 - 21
FI - LM-moduulilevyt sovitettu kattojärjestelmään 1-21
DE - LM Modulplatten angepasst für Deckensysteme 1-21
IT - La cornice LM è adatta per sistemi di controsoffitto tipo 1 - 21
RU - LM module plates adapted to ceiling system 1 - 21 - RUS
 Plaque d'habillage LM adaptées aux systèmes de plafond 1 - 21

LM

PKA, LKA, PCA, LCA


LM
aa
bbb
ccc

1-21

Ceiling system / Loftsystem
 Undertakssystem / Kattojärjestelmät
 Deckensysteme
 Sistemi di controsoffitto
 Потолочные системы
 Type de plafond

 PKA
 LKA
 PCA
 LCA

Ød

Formo

LM

Accessories LM

Tilbehør LM

Tillbehör LM






Lisävarusteet LM

Zubehör LM

Accessori LM

Аксессуары LM

Accessoires LM

Mounting of diffuser in ceiling with LM module plate**Montering af armatur i loft med LM modulplade****Montering av don i tak med LM modulram****Hajottajan asennus alakattoon LM-moduulilevyn kanssa.****Montage des Durchlasses in der Decke mit LM Modulplatte****Montaggio del diffusore nel controsoffitto usando la cornice LM****Mounting of diffuser in ceiling with LM module plate -RUS****Montage du diffuseur dans le plafond avec plaque d'habillage LM****LM**

Formo

LM

Accessories LM

Tilbehør LM

Tillbehör LM

Lisävarusteet LM

Zubehör LM

Accessori LM

Аксессуары LM

Accessoires LM

Mounting of diffuser + MB in ceiling with LM module plate

Montering af armatur + MB i loft med LM modulplade

Montering av don + MB i tak med LM modulram

Hajottajan ja MB-liitäntälaatikon asennus alakattoon LM-moduulilevyn kanssa.



Montage des Durchlasses + MB in der Decke mit LM Modulplatte

Montaggio del diffusore + MB in controsoffitto con cornice LM

Mounting of diffuser + MB in ceiling with LM module plate -RUS

Montage du diffuseur + MB dans le plafond avec plaque d'habillage LM

LM



Formo

LM

Accessories LM

Tilbehør LM

Tillbehör LM


Lisävarusteet LM

Zubehör LM


Accessori LM

Аксессуары LM

Accessoires LM

Mounting of diffuser + MB in ceiling with LM module plate**Montering af armatur + MB i loft med LM modulplade****Montering av don + MB i tak med LM modulram****Hajottajan ja MB-liitäntälaatikon asennus alakattoon LM-moduulilevyn kanssa.****Montage des Durchlasses + MB in der Decke mit LM Modulplatte****Montaggio del diffusore + MB in controsoffitto con cornice LM****Mounting of diffuser + MB in ceiling with LM module plate -RUS****Montage du diffuseur + MB dans le plafond avec plaque d'habillage LM**

- UK** - Not enough space above suspended ceiling when mounting MBB + LM - Remove one T-runner while mounting
DK - For lidt plads over nedsænket loft ved montage af MBB + LM - Fjern en loft-skinne under montage
SE - Vid otillräcklig plats ovan undertaket vid montage av MBB+LM - Demontera en undertaksskena vid montage
FI - Jos alakaton yläpuolella ei ole tarpeeksi tilaa asennuksen aikana, poista yksi T-lista asennuksen ajaksi
DE - Wenig Platz im Deckenhohlraum bei Montage MBB + LM - Entfernen Sie einen T-Träger für die Montage
IT - In caso non vi sia spazio in fase di montaggio dell'MBB + LM - Smontare una barra a T
FR - Pas assez de place dans le plafond lors du montage de MBB + LM - Retirer un support en T pendant le montage



Formo

LM

[Overview LM](#)
[Oversigt LM](#)
[Översikt LM](#)
[Yleiskatsaus LM](#)
[Übersicht LM](#)
[Panoramica LM](#)
[O63op LM](#)
[Aperçu LM](#)

Overview LM module plates

Oversigt LM modulplader

Översikt LM Modulramar

Yleiskatsaus LM Moduulilevy

Übersicht LM Modulplatten

Panoramica LM Piastra modulare per controsoffitti

O63op LM

Aperçu plaques d'habillage LM

!
LM

UK - LM module plate adapted to ceiling system 1 - 21

DK - LM modulplader tilpasset loftsystem 1 - 21

SE - LM modulramar anpassat till undertakssystem 1 - 21

FI - LM-moduulilevy sovitettu kattojärjestelmään 1-21

DE - LM Modulplatten angepasst für Deckensysteme 1-21

IT - La cornice LM è adatta per sistemi di controsoffitto tipo 1 - 21

RU - LM module plate adapted to ceiling system 1 - 21 - RUS

Plaques d'habillage LM adaptées aux systèmes de plafond 1 - 21



1, 21

1. = 600 x 600



21.= 625 x 625





4, 5, 6





7, 8





9, 10



11



14



Formo

Overview

Oversigt

Översikt


Yleiskatsaus

Übersicht

Panoramica

Обзор


Aperçu

Overview - Ceiling systems**Oversigt - loftsystemer****Översikt - Undertakssystem****Yleiskatsaus - Kattojärjestelmät****Übersicht - Deckensysteme****Panoramica - Sistemi di controsoffitto****Обзор - Потолочные системы****Aperçu - Systèmes de plafond****1.
21.**T24/T15 = 600 x 600
22 = 625 x 625**3.**


Permanent ceiling
Fast loft / Fast undertak
Kiinteä alakatto
Geschlossene Decke
Soffitto permanente
Сплошной потолок
Plafond non démontable

**4.**



Dampa Clip-in

**5.**


Dampa Clip-in

**6.**


Luxalon Clip-in

**7.**Danotile Contur / Ecophon D
Rockfon D-XL**8.**


Ecophon Focus DG

**9.**


Rockfon E10 24 / Ecophon E / T24

**10.**


Rockfon E10 15 / Ecophon E / T15

**11.**

Danotile Markant

**14.**

Ecophon Focus DS





Good Thinking

At Lindab, good thinking is a philosophy that guides us in everything we do. We have made it our mission to create a healthy indoor climate - and to simplify the construction of sustainable buildings. We do that by designing innovative products and solutions that are easy to use, as well as offering efficient availability and logistics. We are also working on ways to reduce our impact on our environment and climate. We do that by developing methods to produce our solutions using a minimum of energy and natural resources, and by reducing negative effects on the environment. We use steel in our products. It's one of few materials that can be recycled an infinite number of times without losing any of its properties. That means less carbon emissions in nature and less energy wasted.

We simplify construction